




PT. CAHAYA MAS CEMERLANG
ENVIRONMENTAL CONTROL & MEDICAL GAS ENGINEERING AND CONTRACTOR

Hand Sanitizer

Natural – Effective – Ecofriendly



Jl. Rawa Gelam II No. 3 Kawasan Industri Pulo Gadung Jakarta Timur, Indonesia, Kode Pos 13260 PO BOX 4647 JKP 10046
(021) 460 2345 (Hunting) | Fax : (021) 460 2340, 460 1244 | info@cahayamascemerlang.com



**CERTIFICATE**
NUMBER: 99513

is awarded to:

PT CAHAYA MAS CEMERLANG
Kompleks Majapahit Permai Blok C No. 105
Jl. Majapahit No. 18-20-22
Jakarta Pusat 10160

The SI Certification Body certify that
The Environmental Management System of
the above organisation has been audited and implemented
to comply with the requirements of **ISO 14001:2015**

This certificate is valid for the activities as below:
1. Design, fabrication, installation and supply of
medical devices , mining equipment, steel construction equipment,
environmental machineries and equipment for industrial waste,
hospital waste, laboratory waste, domestic waste
and water treatment,
2. Design, fabrication, installation and supply of medical
gas devices and equipment for hospital,
3. Design, fabrication, installation and supply of machineries and
equipments for forestry, agriculture, oceanic and fishery.
4. Design, fabrication, installation and supply of vehicle body shop.

Date of registration: 20-02-2013
Date of expired : 04-01-2022
Date of issued: 05-01-2019


Titik Liza Marrietta,CEO
For the SI Directorate


This certificate only valid as announced at Client List Status in <http://si-certification.com>
In the issuance of this certificate, SI Certification assumes no liability to any party other than to the client
and then only in accordance with the agreed upon Certification Agreement.



**CERTIFICATE**
NUMBER: 995311

is awarded to:

PT CAHAYA MAS CEMERLANG
Kompleks Majapahit Permai Blok C No. 105
Jl. Majapahit No. 18-20-22
Jakarta Pusat 10160

The SI Certification Body certify that
The Quality Management System of the above organisation
has been audited and implemented to comply with
the requirements of **ISO 9001:2015**


This certificate is valid for the activities as below:
1. Design, fabrication, installation and supply of
medical devices, mining equipment, steel construction equipment,
environmental machineries and equipment for industrial waste,
hospital waste, laboratory waste, domestic waste
and water treatment,
2. Design, fabrication, installation and supply of medical
gas devices and equipment for hospital,
3. Design, fabrication, installation and supply of machineries and
equipments for forestry, agriculture, oceanic and fishery.
4. Design, fabrication, installation and supply of vehicle body shop.

Date of registration: 05-01-2012
Date of expired : 04-01-2021
Date of issued: 27-09-2018


Titik Liza Marrietta,CEO
For the SI Directorate


This certificate only valid as announced at Client List Status in <http://si-certification.com>
In the issuance of this certificate, SI Certification assumes no liability to any party other than to the
client and then only in accordance with the agreed upon Certification Agreement.



**CERTIFICATE**
NUMBER: 995401


is awarded to:


PT CAHAYA MAS CEMERLANG
Kompleks Majapahit Permai Blok C No. 105
Jl. Majapahit No. 18-20-22
Jakarta Pusat 10160


The SI Certification Body certify that Medical Devices -
Quality Management System of the above organisation
has been audited and implemented to comply with
the requirements of **ISO 13485:2016**

This certificate is valid for the activities as below:
1. Design, fabrication, installation and supply of environmental
machineries and equipment for industrial waste, hospital waste,
laboratory waste and domestic waste.
2. Design, fabrication, installation and supply of medical devices
and equipment for hospital,
3. Design, fabrication, installation and supply of machineries and
equipments for forestry, agriculture, oceanic and fishery.
4. Design, fabrication, installation and supply of vehicle body shop.

Date of registration: 08-01-2013
Date of expired : 07-01-2023
Date of issued: 08-01-2018


Titik Liza Marrietta,CEO
For the SI Directorate


This certificate only valid as announced at Client List Status in <http://si-certification.com>
In the issuance of this certificate, SI Certification assumes no liability to any party other than to the
client and then only in accordance with the agreed upon Certification Agreement.



**CERTIFICATE**
NUMBER: 9957836

is awarded to:

PT CAHAYA MAS CEMERLANG
Kompleks Majapahit Permai Blok C No. 105
Jl. Majapahit No. 18-20-22
Jakarta Pusat 10160

The SI Certification Body certify that
Occupational Health & Safety Management System of
the above organisation has been audited and implemented
to comply with the requirements of **ISO 45001:2018**


This certificate is valid for the activities as below:
1. Design, fabrication, installation and supply of
medical devices , mining equipment, steel construction equipment,
environmental machineries and equipment for industrial waste,
hospital waste, laboratory waste, domestic waste
and water treatment,
2. Design, fabrication, installation and supply of medical
gas devices and equipment for hospital,
3. Design, fabrication, installation and supply of machineries and
equipments for forestry, agriculture, oceanic and fishery.
4. Design, fabrication, installation and supply of vehicle body shop.

Date of registration: 20-02-2013
Date of expired : 04-01-2022
Date of issued: 05-01-2019


Titik Liza Marrietta,CEO
For the SI Directorate


This certificate only valid as announced at Client List Status in <http://si-certification.com>
In the issuance of this certificate, SI Certification assumes no liability to any party other than to the client
and then only in accordance with the agreed upon Certification Agreement.






Instant Hand Sanitizer

50ml / 300ml/ 1L/ 5L


- SGS certified: Effectively kill more than 99.999% of common pathogenic bacteria Includes *Klebsiella pneumoniae*, *Escherichia coli*, *Enterococcus hirae*, *Staphylococcus aureus*, *Pseudomonas aeruginosa*
- Using natural food-grade alcohol, less irritating to the skin than normal alcohol
- 75% alcohol, in line with WHO recommended standards
- ISO grade pure Australian tea tree oil, is the ace of disinfection among essential oils
- Simultaneous high-efficiency disinfection and skin care: Pharmaceutical grade glycerin emollients keep skin moist and soft
- The after use feeling that a thin protective film was left on the skin. It is not sticky and very good for moisturizing. It can also effectively prevent the skin from cracking.
- Products also passed SMQ testing and certification
- Natural, gentle and effective, suitable for all skin types and all ages
- Moisturizing hand feel
- Cost-effective



Alcohol Spray for Hands

50ml / 480ml

- Effectively kills germs and bacteria and prevents the spread of pathogens
- Adopt the World Health Organization's recommended formula I for coronavirus
- 80% alcohol contented
- Hospital applicable formula
- Simply spray and wipe on hands without rinsing
- Quickly archived sterilizing, disinfection and cleaning effect at the same time
- For hands disinfection, suitable for the use of before eating, after toilet, wearing contact lenses, before and after contacting patients, before and after handling food etc
- Using natural food-grade alcohol, less irritating to the skin than normal alcohol
- Pharmaceutical grade glycerin emollient keeps skin moist and soft
- Refreshing hand feel




Disinfectant Spray

50ml / 390ml

- Effectively kills germs and bacteria and prevents the spread of pathogens
- Specially formulated, unique fungicide and alcohol compatibility, safe and efficient disinfection
- User friendly, spray directly on any daily necessities, and can be thoroughly cleaned without rinsing
- Protect yourself – for clothing, handbags, soles or hair
- Protect your family – for toys, beddings, bathroom, curtains or fitness equipment
- Protect your colleagues – for keyboards, mouse, chairs or desktops
- Natural, gentle and effective, suitable for all ages





Alcohol Wet Wipes

20pcs / box

- Effectively kills germs and bacteria and prevents the spread of pathogens
- Good for a quick on-the-go clean up
- Individually packaged, not easy to deteriorate, ensuring that the disinfection ability of each wipe are equally sufficient
- Easy to carry around
- Refresh your hands and body anytime and anywhere
- Also good for disinfecting telephones, cutlery, keys and other messes
- Using purified water, feels clean and fresh after use



SGS Testing Report

SGS

Test Report

No. HKHC20020000957HC

Date :Feb 20, 2020

Page 1 of 3

MING FAI INNOVATIVE SKIN CARE LAB LIMITED
UNIT C, 6/F, MAI KEI IND. BLDG., NO.5 SAN HOP LANE, TUEN MUN, N.T.,Hong Kong

Job No. : HKHC200200000496

The following sample was submitted and identified by the client as Pasion Instant Hand Sanitizer

Product Description : Pasion Instant Hand Sanitizer
Quantity Received : 10 bottles x 50 ml/bottle
Sample Appearance : Transparent gel
SGS Sample No. : HKHC200200000496-101
Sample Receiving Condition : In unopened plastic bottle original package under ambient condition
Sample Receiving Date : Feb 12, 2020
Testing Period : Feb 12, 2020 – Feb 20, 2020

Test Requested

To determine Bactericidal Efficacy of the submitted sample.

Test Method

Bactericidal Efficacy
The analysis was performed with reference to EN 1276:2009 (Dilution-neutralization method).

Test Results

Please refer to the following page(s).

Signed for and on behalf of
SGS Hong Kong Ltd.

WONG KIN-MAN, GILMAN
ASSISTANT TECHNICAL DEVELOPMENT MANAGER
- COSMETICS, PERSONAL CARE & HOUSEHOLD SERVICES

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/termsandconditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/termsandconditions>. Attention is drawn to the liability, indemnification and jurisdiction issues defined therein. Any issue of this document is without prejudice information contained therein reflects the Company's findings at the time of the intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not constitute parties to a transaction for all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.

SGS Hong Kong Limited Laboratory: 1/F, 3/F, 4/F & 5/F, On Wa Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong www.sgs.com.hk
Office: Units 303 & 305, 5/F, Building 22C, Phase 3, HK Science Park, New Territories, Hong Kong [+852 2354 4401](http://www.sgs.com.hk) [+852 2759 2528](http://www.sgs.com.hk) [e-mail: hkg@sgs.com](http://www.sgs.com.hk)

Member of the SGS Group ISO 9001

SGS

Test Report

No. HKHC20020000957HC

Date :Feb 20, 2020

Page 1 of 3

MING FAI INNOVATIVE SKIN CARE LAB LIMITED
UNIT C, 6/F, MAI KEI IND. BLDG., NO.5 SAN HOP LANE, TUEN MUN, N.T.,Hong Kong

Job No. : HKHC200200000496

The following sample was submitted and identified by the client as Pasion Instant Hand Sanitizer

Product Description : Pasion Instant Hand Sanitizer
Quantity Received : 10 bottles x 50 ml/bottle
Sample Appearance : Transparent gel
SGS Sample No. : HKHC200200000496-101
Sample Receiving Condition : In unopened plastic bottle original package under ambient condition
Sample Receiving Date : Feb 12, 2020
Testing Period : Feb 12, 2020 – Feb 20, 2020

Test Requested

To determine Bactericidal Efficacy of the submitted sample.

Test Method

Bactericidal Efficacy
The analysis was performed with reference to EN 1276:2009 (Dilution-neutralization method).

Test Results

Please refer to the following page(s).

Signed for and on behalf of
SGS Hong Kong Ltd.

WONG KIN-MAN, GILMAN
ASSISTANT TECHNICAL DEVELOPMENT MANAGER
- COSMETICS, PERSONAL CARE & HOUSEHOLD SERVICES

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/termsandconditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/termsandconditions>. Attention is drawn to the liability, indemnification and jurisdiction issues defined therein. Any issue of this document is without prejudice information contained therein reflects the Company's findings at the time of the intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not constitute parties to a transaction for all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.

SGS Hong Kong Limited Laboratory: 1/F, 3/F, 4/F & 5/F, On Wa Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong www.sgs.com.hk
Office: Units 303 & 305, 5/F, Building 22C, Phase 3, HK Science Park, New Territories, Hong Kong [+852 2354 4401](http://www.sgs.com.hk) [+852 2759 2528](http://www.sgs.com.hk) [e-mail: hkg@sgs.com](http://www.sgs.com.hk)

Member of the SGS Group ISO 9001

SGS

Test Report

No. HKHC20020000957HC

Date :Feb 20, 2020

Page 3 of 3

Sample Receiving Date: Feb 12, 2020

PHOTO APPENDIX



HKHC200200000496-101

SGS authenticate the Photo on original report only.

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/termsandconditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/termsandconditions>. Attention is drawn to the liability, indemnification and jurisdiction issues defined therein. Any issue of this document is without prejudice information contained therein reflects the Company's findings at the time of the intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not constitute parties to a transaction for all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.

SGS Hong Kong Limited Laboratory: 1/F, 3/F, 4/F & 5/F, On Wa Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong www.sgs.com.hk
Office: Units 303 & 305, 5/F, Building 22C, Phase 3, HK Science Park, New Territories, Hong Kong [+852 2354 4401](http://www.sgs.com.hk) [+852 2759 2528](http://www.sgs.com.hk) [e-mail: hkg@sgs.com](http://www.sgs.com.hk)

Member of the SGS Group ISO 9001

OTHER TESTING REPORTS | PASION HAND SANITIZER

Disinfection test (Table2, Table 3, Table 4 & Table 5)

Q/LDPZ

Luoding Quality Tourism Products Co., Ltd.
Enterprise Standart | Q/LDPZ 001 - 2020

No.	Sample Name	Contact time (Minute)	Pass/Fail
1	MFO-13509 water-free hand sanitizer 1	0.5	Pass
		5	Pass

2. KILLING MICROORGANISM INDEX
Tabel 2 Microbial Kill Indicators

Microbial Species	Action time (min)	Kill Log
E. Coli	≤ 1	≥ 5.00 (Suspension Method)
Staphylococcus Aureus	≤ 1	≥ 5.00 (Suspension Method)
Candida Albicans	≤ 1	≥ 5.00 (Suspension Method)

SHENZHEN ACADEMY OF METROLOGY & QUALITY
INSPECTION
Shenzhen Academy of Metrology & Quality
Inspection

Project Name	Unit	Standard Requirement	Measured Value	The Detection Limit	Single Conclusion	Testing Base
Killing test (Suspension method) strain : E. Coli (8099) 6th generation (sample concentration : stock solution action time : 1 min)	----	----	The 3 Kill log values are : ≥ 5.00 ≥ 5.00 ≥ 5.00	----	----	«Disinfection technical specification»20 02 edition 2.1.1.7
Killing test (Suspension method) strain : Staphylococcus aureus (ATCC6538) 6th generation (sample concentration : stock solution action time : 1 min)	----	----	The 3 Kill log values are : ≥ 5.00 ≥ 5.00 ≥ 5.00	----	----	«Disinfection technical specification»20 02 edition 2.1.1.7
Killing test (Suspension method) strain : Candida Albicans (ATCC10231) 5th generation (sample concentration : stock solution action time : 1 min)	----	----	The 3 Kill log values are : ≥ 4.00 ≥ 4.00 ≥ 4.00	----	----	«Disinfection technical specification»20 02 edition 2.1.1.9

INSPECTION REPORT
Report Number : WT202001800

Test Item	Result of Testting	Detection Method
Ethanol, % (Volume Ratio)	75.6	GB/T 9722-2006
PH (Stock Solution, 25°C)	6.2	«Cosmetic Safety Technical Specifications» (2015 Version) chapter IV 1.1 Direct Test Method



PT. CAHAYA MAS CEMERLANG

ENVIRONMENTAL CONTROL & MEDICAL GAS ENGINEERING AND CONTRACTOR

Jl. Rawa Gelam II No. 3 Kawasan Industri Pulo Gadung
Jakarta Timur, Indonesia, Kode Pos 13260 PO BOX 4647
JKP 10046

(021) 460 2345 (Hunting) | Fax : (021) 460 2340, 460
1244 info@cahayamascemerlang.com